



Acumen Barcode Reader Setup Guide v1.1

Overview

This document provides the instructions necessary to install barcode scanners for use with Acumen.

Setup - Remove Leading Zeros

Plug in your handheld scanner into any available usb plug. Scan the following scancodes with your handheld scanner to remove leading zeros and add a carriage return (Enter) at the end of each read.

1.




Scan Options

2.



Remove Leading
Zeros

3.



<DATA> <SUFFIX>

4.



Enter

Setup - Re-Enable Leading Zeros

Plug in your handheld scanner into any available usb plug. Scan the following scancodes with your handheld scanner to re-enable leading zeros and add a carriage return (Enter) at the end of each read.

1.



Scan Options

2.



Stop Zero Removal

3.



<DATA> <SUFFIX>

4.



Enter

Setup - Return to Default Settings

Plug in your handheld scanner into any available usb plug. Scan the following scancodes with your handheld scanner to return your scanner to default settings.



Set All Defaults

Street Address

6 James St
Geelong VIC 3220

Postal Address

PO Box 277
Geelong VIC 3220

Hotline: 1800 ACUMEN (1800 228 636)
Phone (Within Australia): (03) 5221 2833
Phone (Outside Australia): +613 5221 2833

Email: sales@acumensystems.com.au

Copyright © 2020

Acumen Computer Systems Pty. Ltd.

6 James Street, P.O. Box 277, GEELONG 3220
Phone: (03) 52212833 Fax: (03) 52213835
20 January, 2020

